




**EASY  
INSTALL**



**CORDED  
CONTROL**


## FOREST CORDED Systems

Heavy duty corded curtain track systems with separate internal cord channels; preventing cord sag and eliminating cord tangle.



CKS® corded | Coded Klick System  
CCS® corded | Coded Contract System

THE WORLD  
BEHIND  
YOUR  
CURTAINS



# FOREST CKS<sup>®</sup> corded





## PRODUCT INFORMATION

- Highly efficient cord traversing system with separate internal cord channels; preventing cord sag and eliminating cord tangle.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications.
- Heavy duty clickable carriers - UV protected - for smooth and easy traversing. Offset shape for straight hanging pleats.
- Can also be used with standard carriers or Vanda Wave Heading
- Maximum fabric weight: 6 kg per meter
- Colours available: white & silver
- Available in 6 meter lengths
- Track finish: chromated powder coated with a factory applied patented dry lubricant.

## PROFILE

- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 202 grams per meter
- Dimensions: 14 mm x 20 mm




- 1 CKS Track
- 2 KS Carrier
- 3 CKS Master Carrier Overlap
- 4 CKS Master Carrier Underlap
- 5 CKS Pulley




## MOUNTING BRACKETS

### Wall bracket

3.5 cm  
6 cm



### Spring Clip Ceiling Bracket with concealed cover



## APPLICATIONS




### Smart Click Ceiling Bracket




### SK Aluminium Wall Bracket single

A) 7.5 cm      B) 6.3 cm




### SK Wall bracket aluminium double

A) 15 cm      B) 9.2 cm      C) 4.5 cm



## FOR USE IN

Hotels - offices - residences - boats - campers - planes or any location where an efficient cord traversing system is required.



**CKS TRACK**  
Aluminium extrusion, powder coated, lubricated.




**KS AS CARRIER**  
"Klickable", offset, constructed of UV-resistant plastic.  
14 carriers per meter supplied




**KS STOPCARRIER**  
Prevents slide back, "klickable", constructed of UV-resistant plastic.



**KS CEILING BRACKET**  
Slides onto the track, powder coated. Regular duty.



**KS SMART KLICK CEILING BRACKET**  
"Klicks" onto track, powder coated.




**KS SMART KLICK CEILING BRACKET + SLOT**



**KS SMART KLICK WALL BRACKET 3,5 cm**  
"Klicks" onto track, powder coated.  
One screw attachment. For light weight use only.




**KS ADJUSTABLE WALL BRACKET, SINGLE**  
For light weight use only



**KS ADJUSTABLE WALL BRACKET, DOUBLE**  
For light weight use only



**KS SLIMLINE SINGLE BRACKET**



**KS SLIMLINE DOUBLE BRACKET**



**COVER CAP FOR KS SMART KLICK ALUMINIUM WALL BRACKET**

